

$$R = R_1 + R_2$$

$$U = U_1 + U_2$$

Typical Supported Truss to Girder Connection

TTC Clip Sizes and Information


"A" Clips connect the supported truss to the girder truss
 "B" Clips are only required for 3-ply girders:
 • "B" Clips connect the plies of a 3-ply girder truss together
 • One "B" Clip is required for each "A" Clip used

TSC2.75	TSC3.00 or TSC4.00
A = TTC5	A = TTC7
B = TTC5	B = TTC7


Allowable Values

H _{min} in (mm) ^A		H _{max} in (mm) ^A	Number of "A" Clips	R = U lbs (kN) ^A
TSC2.75	TSC3.00 TSC4.00			
9-1/2 (241)	12 (305)	48 (1219)	1	1730 (7.70)
19 (483)	24 (610)	no max limit	2	2470 (10.99)


A. R = Allowable Reaction, U = Allowable Uplift and H = Heel height of supported truss.



Truss To 2-Ply Supporting Truss Using TTC Clips
 (1 or 2 "A" clips may be used. See chart)



Truss To 3-Ply Supporting Truss Using TTC Clips
 (1 or 2 "A" Clips may be used. See chart)



Truss To 1-Ply Supporting Truss Using 1 TTC Clip

Truss To 1-Ply Supporting Truss Using 2 TTC Clips

General Notes:

- The top and bottom chords of all trusses shall be properly connected to structural sheathing or purlins, designed by others.
- If supported truss or girder web is a Z-web, refer to TS068 for connection areas.
- SDS = Self-Drilling Tapping Screw. Screw spacing, edge distance and end distance is 9/16" (14mm) minimum.
- The supported truss must be designed utilizing a clip bearing type. For 2 clip connections, place clips within 1" (25mm) of top and bottom chords as shown. For 1 clip connections, place clip within 1" (25mm) of bottom chord or as analyzed.
- This detail is to be used when girder web and supported web are the same width. Girder web shall not be a C-Web.
- Cold-Formed Steel Calculations are per the AISI 2016 "North American Specifications for the Design of Cold-Formed Steel Structural Members" (S100-16).



www.TrusSteel.com

Florida: 6750 Forum Drive, Suite 305 / Orlando, FL 32821 / (800) 755-6001
 Missouri: 13723 Riverport Drive, Suite 200 / Maryland Heights, MO 63043 / (800) 326-4102

Truss-To-Truss Connections Using TTC Clips

Alpine, a division of ITW Building Components Group, Inc. shall not be responsible for any performance failure in a connection due to a deviation from this detail. Any variation from this detail shall be approved in advance by Alpine, a division of ITW Building Components Group, Inc.

Standard Detail:

TS001

Date:

10/11/18

TrusSteel Detail Category:

Truss-To-Truss Connections